

	Type	Ref #	Hits	Search Text
1	IS&R	S1	1	("4321497").PN.
2	BRS	S2	27	("0268205" "1199097" "2407935" "3014139" "3090878" "3950665" "4151433").PN. OR ("4321497").URPN.
3	IS&R	S3	1	("5804902").PN.
4	BRS	S4	6	("4785213" "4945296" "5402026" "5422526" "5616977").PN. OR ("5804902").URPN.
5	IS&R	S5	0	((("US6570290B2") or ("US6548933B2") or ("US6252327B1") or ("US5422526A") or ("US2407935A") or ("US1199097A") or ("US268205A") or ("US6538356B1"))).PN.
6	IS&R	S6	0	((("US6570290") or ("US6548933") or ("US6252327") or ("US5422526") or ("US2407935") or ("US1199097") or ("US268205") or ("US6538356"))).PN.
7	IS&R	S7	8	((("6570290") or ("6548933") or ("6252327") or ("5422526") or ("2407935") or ("1199097") or ("0268205") or ("6538356"))).PN.
8	BRS	S8	1	S7 and (thread threaded bolt fastener)
9	BRS	S9	1	S7 and screw
10	BRS	S10	11968	(segment segmented) near3 (bar rod conductor)
11	BRS	S11	3976	S10 and (motor generator dynamoelectric)
12	BRS	S12	1217	S11 and (stator core lamina\$4)

	DBs	Time Stamp	Comments	Error Definition
1	USPAT	2005/02/09 09:35		
2	US-PGPUB; USPAT; USOCR	2005/02/09 09:41		
3	USPAT	2005/02/09 09:41		
4	US-PGPUB; USPAT; USOCR	2005/02/09 09:41		
5	USPAT	2005/02/09 10:04		
6	USPAT	2005/02/09 10:04		
7	USPAT	2005/02/09 10:05		
8	USPAT	2005/02/09 10:13		
9	USPAT	2005/02/09 10:10		
10	USPAT	2005/02/09 10:28		
11	USPAT	2005/02/09 10:29		
12	USPAT	2005/02/09 10:29		

	Type	Ref #	Hits	Search Text
13	BRS	S13	622	S12 and (slot tooth)
14	BRS	S14	378	S13 and (thread threaded bolt fastener screw)
15	BRS	S15	187	S14 and winding
16	BRS	S16	6398	(segment segmented) near3 (bar rod conductor)
17	BRS	S17	2985	S16 and (motor generator dynamoelectric)
18	BRS	S18	759	S17 and (stator core lamina\$4)
19	BRS	S19	441	S18 and (slot tooth)
20	BRS	S20	294	S19 and (thread threaded bolt fastener screw)
21	BRS	S21	166	S20 and winding
22	BRS	S22	407	(segment segmented) near3 (bar rod conductor)
23	BRS	S23	33	S22 and (motor generator dynamoelectric)
24	BRS	S24	2	S23 and (thread threaded bolt fastener screw)
25	BRS	S25	2832	(segment segmented) near3 (bar rod conductor)
26	BRS	S26	287	S25 and (motor generator dynamoelectric)
27	BRS	S27	26	S26 and (thread threaded bolt fastener screw)

	DBs	Time Stamp	Comments	Error Definition
13	USPAT	2005/02/09 10:29		
14	USPAT	2005/02/09 10:30		
15	USPAT	2005/02/09 10:30		
16	USOCR	2005/02/09 10:34		
17	USOCR	2005/02/09 10:35		
18	USOCR	2005/02/09 10:29		
19	USOCR	2005/02/09 10:30		
20	USOCR	2005/02/09 10:35		
21	USOCR	2005/02/09 10:31		
22	EPO	2005/02/09 10:36		
23	EPO	2005/02/09 10:36		
24	EPO	2005/02/09 10:37		
25	DERWENT	2005/02/09 10:36		
26	DERWENT	2005/02/09 10:36		
27	DERWENT	2005/02/09 10:37		